Docket No. SP01-290 (015275-060008)

Patent

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of the claims in the application:

Listing of Claims:

1. (currently amended) A method for amplifying expressed genetic sequences from genomic DNA (gDNA) [[gDNA]] selected from a higher-order eukaryotic species, for printing on DNA microarrays, wherein the method comprises:

identifying a 3' untranslated region (3'UTR) either 1) a 3'UTR of a gDNA sequence based on the presence of a stop codon and a polyadenylation signal in the gDNA sequence rorresponding to an expressed mRNA sequence, or 2) an exon of a gene defined by computer-software;

selecting a predetermined gDNA sequence within the 3'UTR er exon;

designing a probe for said predetermined gDNA sequence;

performing a first polymerase chain reaction (PCR) for the 3'UTR er exen on generate PCR-product;

separating the resultant PCR-product by a size-differentiation process selected from the group consisting of electrophoresis and chromatography;

selecting a predetermined band from the size-differentiated samples; [[and]]

performing a second polymerase chain reaction to amplify a PCR product in the predetermined band predetermined sequence; and

depositing a sequence amplified by said second polymerase chain reaction o a substrate of an array.

- 2. (currently amended) The method according to claim 1, wherein a phyrality of said final amplified sequences are deposited on a substrate in an array.
- 3. (currently amended) The method according to claim 1, wherein said an plifted sequence is final amplified sequences are the sequence of one exon and contains no polyadenosine
- 4. (currently amended) The method according to claim 1, wherein said predetermined gDNA sequence within the 3'UTR or exon is selected by use of computer software.

BEST AVAILABLE COPY

Page 2 of 8

Docket No. SP01-290 (015275-060008) Patent

- 5. (currently amended) The method according to claim 1, wherein said selected predetermined gDNA sequence within the 3'UTR or exon has a length of at least about 75 nucleotide's.
- 6. (original) The method according to claim 5, wherein said selected predetermined gDNA sequence has a length of about 200 to about 600 bases.
- 7. (original) The method according to claim 6, wherein said selected psedetermined gDNA sequence has a length of about 250 to about 450 bases.
- 8. (original) The method according to claim 1, wherein said selected predetermined gDNA sequence has an overall homology of less than or equal to about 70% to any other genomic sequence in the same genome.
- 9. (original) The method according to claim 8, wherein said selected predetermined gDNA sequence has an overall homology of less than or equal to about 40% to any other genomic sequence in the same genome.
- 10. (original) The method according to claim 8, wherein said selected predetermined gDNA sequence has an overall homology of from about 20% to 30% to any other genomic sequence in the same genome.
- 11. (currently amended) The method according to claim 1, wherein said is ethod can generate PCR products that contain said amplified sequence contains over 90 percent correct predetermined sequence.
- 12. (currently amended) The method according to claim 1, wherein sair array has [[is]] a rectilinear format.

13-26. (canceled)

27. (currently amended) The method according to claim 1, wherein said predetermined gDNA sequence within the 3'UTR er exon has a length of up to about 2000 nucleotides.

size;

Docket No. SP01-290 (015275-060008)

Patent

28. (new) A method for amplifying expressed genetic sequences from genomic DNA (gDNA) selected from a higher-order eukaryotic species, for printing on DNA microarrays, wherein the method comprises:

identifying an exon of a gene defined by computer software;

selecting a predetermined gDNA sequence within the exon;

designing a probe for said predetermined gDNA sequence;

performing a first polymerase chain reaction (PCR) for the exon on gDNA to generate PCR-product;

separating the resultant PCR-product by a size-differentiation process selected from the group consisting of electrophoresis and chromatography;

selecting a predetermined band from the size-differentiated samples; performing a second PCR to amplify a product in the predetermined band; and depositing a sequence amplified by said second PCR to a substrate of an array

29. (new) A method for making a DNA array, comprising:

performing a first PCR to amplify a 3'UTR, or a segment ther xof, in a gDNA of a higher-order eukaryotic species;

separating products of said first PCR to select a product with a predetermined

performing a second PCR to amplify a sequence in said selected product; and depositing said amplified sequence to a substrate of the DNA array.

30. (new) The method of claim 29, comprising:

performing PCRs to amply a plurality of 3'UTRs, or segments thereof, in genomic DNAs of said higher-order eukaryotic species;

separating products of said PCRs to select products with prediffermined sizes; performing PCRs to amplify sequences in said selected products; and depositing said amplified sequences to the DNA array.

31. (new) The method of claim 30, wherein each said 3'UTR is located between a stop codon and a polyadenylation signal of a different respective gene.

Docket No. SP01-2)0 (015275-060008)

Patent

- 32. (new) The method of claim 31, wherein each said 3'UTR or segment comprises from about 75 to about 2,000 nucleotides, and each said separating step is accomplished by electrophoresis or chromatography.
- 33. (new) The method of claim 31, wherein said higher-order eukaryotic species is a mammal, and each said 3'UTR or segment has an overall homology of no more than about 40% to any other genomic sequence in the genome of said mammal.
- 34. (new) The method of claim 29, wherein said first and second PCRs are performed using the same pair of primers.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.